## **WALL TILES**




Designers of acoustic and environmentally sustainable office solutions Dynamic, versatile and expressive. 14six8 3D acoustic wall tiles will offer functional dimensionality to any vertical surface no matter the size.

**3D ACOUSTIC WALL TILES** 

Our standard 597mm X 597mm tiles can be arranged and configured uniformly in a single direction, vertically or horizontally, in alternating directions or totally random to create expressive visual interest to your space.


Designed with parametric blades configured to form 3 dimensional organic shapes, sound is trapped, deflected and diffused between the individual blades maximising acoustic performance and enhancing visual impact.






a.


























### CONTOUR 3D ACOUSTIC WALL TILE







TYPE A



597

597

NB: Contour is made up of two differently configured tiles (Type A and Type B) to form one 1194mm x 597mm Contour tile as depicted in the photos.



#### AVAILABLE **COLOURS** AND SPECS

#### **PRODUCT SPECIFICATIONS**

Composition: Recycled content: Recyclability:

12mm 100% Polyester Fibre Minimum 45% PET plastics 100% recyclable

#### PROCUREMENT

These tiles are sold individually as 597mm x 597mm tiles.

#### ACOUSTICS

Calculated to EN ISO 11654:1997

Acoustic NRC Rating: NRC 0.55 (12mm systems) Class D

#### **VOC EMISSIONS**

VOC concentration: Low VOC product. Product manufactured from 100% polyester fibres and no chemicals are used in manufacture of the material.

#### PET MATERIAL FIRE RATINGS

12mm - EN13501-1:2007+A1:2009: B-s1, d0



#### INSTALLATION

We recommend all 14six8 products to be installed by a preferred installer. Preferred installers can be supplied on request.

# 8xi241

